Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1



SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name

Ratimor Difenacoum Fresh Bait

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Rodenticide for the extermination of mice and rats in and around buildings.

Uses advised against

To use only for the purposes stated in this Safety Data Sheet or on the product label. Any other use is prohibited. Do not use rodenticide unprotected in places where other animals or people move or stay.

1.3. Details of the supplier of the safety data sheet

Manufacturer

UNICHEM D.O.O.

Address: Sinja Gorica 2, 1360 Vrhnika, Slovenia

Tel.: +386 1 755 81 50 Fax: +386 1 755 81 55 www.unichem.si

e-mail: unichem@unichem.si

1.4. Emergency telephone number

Emergency

112

Supplier

+386 1 755 81 50

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Repr. 1B; H360D May damage the unborn child.

STOT RE 2; H373 May cause damage to organs (blood) through prolonged or repeated exposure.



chemius.net/FDI85

...continued from previous page
UNICHEM
UNICHEM d.o.o., Sinja Gorica 2, 1360 Vrhnika, Slovenia
tel.: +386 1 7558 150, fax: +386 1 7558 155

unichem@unichem.si, www.unichem.si

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1

2.2 Label elements

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]



Signal word: Danger

H360D May damage the unborn child.

H373 May cause damage to organs (blood) through prolonged or repeated exposure.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.2.2. Contains:

difenacoum (ISO) (CAS: 56073-07-5, EC: 259-978-4, Index: 607-157-00-X)

2.2.3. Special provisions

Restricted to professional users.

2.3. Other hazards

No information.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

For mixtures see 3.2.

3.2. Mixtures

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	REACH Registration No.
difenacoum (ISO)	56073-07-5 259-978-4 607-157-00-X	0,005	Acute Tox. 1; H300 Acute Tox. 1; H310 Acute Tox. 1; H330 Repr. 1B; H360D STOT RE 1; H372 Aquatic Acute 1; H400 [M=10] Aquatic Chronic 1; H410 [M=10]	-
Denatonium benzoate	3734-33-6 223-095-2 -	0,001	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Acute Tox. 4; H332 STOT SE 3; H335 Aquatic Chronic 3; H412	-

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1



SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes

Remove affected person from the contaminated area to fresh air or well-ventilated area, providing her basic life functions and protect it from the cold or heat. Never give fluids or provoke vomiting if the victim is unconscious. Call the doctor and give him the information on the packaging and/or on the instructions for use of the preparation.

Following inhalation

Comply with general measures. Remove patient to fresh air-move out of dangerous area. If symptoms persist seek medical attention.

Following skin contact

Take off all contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap! If feeling unwell seek medical help.

Following eye contact

Immediately flush eyes with running water, keeping eyelids open. Check for and remove any contact lenses. If irritation persist, seek professional medical attention.

Following ingestion

Do not induce vomiting. Rinse mouth with water. Immediately consult a doctor. Show the physician the Safety Data Sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Breathing dust can irritate the respiratory tract.

Coughing, sneezing, nasal discharge, labored breathing.

Skin contact

Contact with skin may cause irritation (redness, itching).

Powder can cause localised skin irritation in folds of the skin or under tight clothing.

Eye contact

It can cause shortterm irritation.

Dust irritates the eyes (by mechanical means).

<u>Ingestion</u>

Difenacoum is an anticoagulant which may produce bleeding; this may be delayed for several days after exposure.

In case of poisoning bleeding disorders and increased bleeding tendency my occur.

In severe poisoning a strong internal bleeding can cause circulatory collapse and consequent death.

4.3. Indication of any immediate medical attention and special treatment needed

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). ADVICE FOR DOCTORS: Difenacoum is an indirect anti-coagulant. Phytomenadione, Vitamin K1, is antidotal. Determine prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

Full water jet.

...continued from previous page
UNICHEM d.o.o., Sinja Gorica 2, 1360 Vrhnika, Slovenia tel: +386 1 7558 150, fax: +386 1 7558 155

unichem@unichem.si, www.unichem.si

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In the event of fire the following is released: poisonous and irritating gases.

5.3. Advice for firefighters

Protective actions

In case of fire or heating do not breathe fumes/vapours. Cool containers at risk with water spray jet. If possible remove containers from endangered area.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective clothing for fire-fighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

Contaminated firefighting water must be disposed of in accordance with the regulations; do not allow to reach the sewage system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8). Refer to protective measures listed in sections 7 and 8.

Emergency procedures

Ensure adequate ventilation.

6.1.2. For emergency responders

-

6.2. Environmental precautions

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental entry into water or ground occurs, inform responsible authorities.

6.3. Methods and material for containment and cleaning up

6.3.1. For containment

-

6.3.2. For cleaning up

Take up mechanically and collect in suitable container and dispose according to current regulations.

6.3.3. Other information

6.4. Reference to other sections

See also sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation.

Measures to prevent aerosol and dust generation

_

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1



Measures to protect the environment

For use only in areas that are inaccessible to infants, children, companion animals and non-target animals.

7.1.2. Advice on general occupational hygiene

Refer to instructions on label and regulations for safety and health at work. Use personal protective equipment. Avoid contact with skin and eyes. Do not eat, drink or smoke while working. Use good personal hygiene practices-wash hands at breaks and when done working with material. In the event of contamination and/or discomfort discontinue work and look for first aid. After working with the product wash yourself and change clothes. Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Technical measures and storage conditions

Store in the original, tightly sealed container in a cool and well ventilated place. Keep in a dry place. Keep away from food, drink and animal feedingstuffs. Store at room temperature. Protect from direct sunlight. Keep out of the reach of children. Keep in locked place.

7.2.2. Packaging materials

_

7.2.3. Requirements for storage rooms and vessels

Keep in properly labeled containers. Close open containers after use. Put the container upright to prevent from leaking.

7.2.4. Storage class

-

7.2.5. Further information on storage conditions

.

7.3. Specific end use(s)

Recommendations

The product is intended for use as a rodenticide (biocidal agent). Before using this product read the instructions for use.

Industrial sector specific solutions

-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

8.1.1. Occupational Exposure limit values

No information.

8.1.2. Information on monitoring procedures

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

8.1.3. DNEL values

No information.

8.1.4. PNEC values

No information.

8.2. Exposure controls

8.2.1. Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices-wash hands at breaks and when done working with material. Avoid contact with eyes and skin. Do not eat, drink or smoke while working.

Technical measures to prevent exposure

Good ventilation.

...continued from previous page
UNICHEM
UNICHEM d.o.o., Sinja Gorica 2, 1360 Vrhnika, Slovenia
tel.: +386 1 7558 150, fax: +386 1 7558 155

unichem@unichem.si, www.unichem.si

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1

8.2.2. Personal protective equipment

Eye and face protection

Safety glasses with side protection (EN 166).

Hand protection

Protective gloves (EN 374).

Appropriate materials

Material	Thickness	Penetration Time	Remark
Nitrile			
PVC			

Skin protection

Wear suitable protective clothing. Cotton protective clothing (EN ISO 13688) and shoes that cover the entire foot (EN ISO 20345).

Respiratory protection

Not needed under normal use and adequate ventilation. In case of dusting use respiratory protection. Use a half-mask (EN 140 or EN 149) with a particle filter P (EN 143).

Thermal hazards

-

8.2.3. Environmental exposure controls

Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or ground water.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

-	Physical state:	solid; paste
-	Colour:	green
-	Odour:	characteristic

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1



Important health, safety and environmental information

-	рН	No information.
-	Melting point/Freezing point	No information.
-	Initial boiling point/boiling range	No information.
-	Flash point	No information.
-	Evaporation rate	No information.
-	Flammability (solid, gas)	No information.
-	Explosion limits (vol%)	No information.
-	Vapour pressure	No information.
-	Vapour density	No information.
-	Density	No information.
-	Solubility	Water: Insoluble
-	Partition coefficient	No information.
-	Auto-ignition temperature	No information.
-	Decomposition temperature	No information.
-	Viscosity	No information.
-	Explosive properties	Product is not explosive.
-	Oxidising properties	No oxidizing properties.

9.2. Other information

B I	
Remarks:	
Bellianks:	

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

Stable under recommended transport or storage conditions.

10.2. Chemical stability

Product is stable under normal conditions according to handling and storage.

10.3. Possibility of hazardous reactions

-

10.4. Conditions to avoid

Avoid high temperatures.

10.5. Incompatible materials

-

10.6. Hazardous decomposition products

Under normal use conditions no hazardous decomposition products expected. In case of fire/explosion vapours dangerous for health are spread.

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1



SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

11.1.1. Acute toxicity

For product

exp. route	Туре	species	Time	value	Method	Remark
oral	LD ₅₀	rat		> 2000 mg/kg bw		
dermal	LD ₅₀	rat		> 2000 mg/kg bw		

For components

Name	exp. route	Туре	species	Time	value	Method	Remark
difenacoum (ISO) (56073-07-5)	oral	LD ₅₀	rat		> 1,8 mg/kg bw		
difenacoum (ISO) (56073-07-5)	dermal	LD ₅₀	rat		> 51,5 mg/kg bw		

11.1.2. Skin corrosion/irritation, serious eye damage/irritation

Additional information

The product is not classified as irritating to skin and eyes.

11.1.3. Respiratory or skin sensitisation

No information.

11.1.4. Carcinogenicity, Mutagenicity, Reproductive toxicity

Carcinogenicity

No information.

(Germ cell) mutagenicity

No information.

Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

May cause harm to the unborn child.

11.1.5. STOT - single and repeated exposure

Additional information

May cause damage to organs through prolonged or repeated exposure.

11.1.6. Aspiration hazard

No information.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Acute (short-term) toxicity

For components

Substance (CAS Nr.)	Туре	Value	Exposure time	Species	Organism	Method	Remark
difenacoum (ISO) (56073-07-5)	LC ₅₀	0,1 mg/L	96 h	fish	Oncorhynchus mykiss		
	LC ₅₀	0,52 mg/L	48 h	crustacea	Daphnia magna		
	ErC50	0,51 mg/L	72 h	algae	Selenastrum capricornutum		

...continued from previous page
UNICHEM
UNICHEM d.o.o., Sinja Gorica 2, 1360 Vrhnika, Slovenia tel.: +386 1 7558 150, fax: +386 1 7558 155

unichem@unichem.si, www.unichem.si

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1

12.1.2. Chronic (long-term) toxicity

No information.

12.2. Persistence and degradability

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

12.2.2. Biodegradation

No information.

12.3. Bioaccumulative potential

12.3.1. Partition coefficient

For components

Substance (CAS Nr.)	Media	value	Temperature	рН	Concentration	Method
difenacoum (ISO) (56073-07-5)	Octanol-water (log Pow)	> 3				

12.3.2. Bioconcentration factor (BCF)

No information.

12.4. Mobility in soil

12.4.1. Known or predicted distribution to environmental compartments

No information.

12.4.2. Surface tension

No information.

12.4.3. Adsorption/Desorption

No information.

12.5. Results of PBT and vPvB assessment

No evaluation.

12.6. Other adverse effects

No information.

12.7. Additional information

For product

No ecotoxicological data available. Avoid release to the environment.

For components

Substance: difenacoum (ISO)

The substance is not readily biodegradable.

The substance has a potential power accumulation.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

13.1.1. Product / Packaging disposal

Waste chemical

Disposal must be made according to official regulations: deliver it to authorized collector/remover/transformer of hazardous waste. Do not allow product to reach drans/sewage systems. Do not dispose together with household garbage.

Packaging

Deliver completely emptied containers to approved waste disposal authorities.

UNICHEM d.o.o., Sinia Gorica 2, 1360 Vrhnika, Slovenia

tel.: +386 1 7558 150, fax: +386 1 7558 155

unichem@unichem.si, www.unichem.si

...continued from previous page

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1

13.1.2. Waste treatment-relevant information

-

13.1.3. Sewage disposal-relevant information

_

13.1.4. Other disposal recommendations

-

SECTION 14. TRANSPORT INFORMATION

14.1. UN number

not applicable

14.2. UN proper shipping name

ADR, RID, IMDG, ADN, IATA: Not dangerous according to transport regulations.

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

NO

14.6. Special precautions for user

not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15. REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)
 - Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

not applicable

15.1.2. Special instructions

The employment limitations under the regulations to the protection from hazardous materials of pregnant women and young mothers guideline and the protection of young persons act are to be observed.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Indication of changes

-

...continued from previous page
UNICHEM
UNICHEM d.o.o., Sinja Gorica 2, 1360 Vrhnika, Slovenia
tel: +386 1 7558 150, fax: +386 1 7558 155

unichem@unichem.si, www.unichem.si

Product name: Ratimor Difenacoum Fresh Bait

Creation date: 16.8.2018 · Version: 1

Key literature references and sources for data

List of relevant H phrases

H300 Fatal if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure .

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.



☑ Provided correct labelling of the product

☑ Compliance with the local legislation

☑ Provided correct classification of the product

© BENS Consulting | www.bens-consulting.com

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.

Print date: 16.8.2018 Page 11 of 11